

***thermo
hauser***



FRESHNESS NEXT LEVEL

THE THERMO TOWER

NEXT LEVEL

FRESHNESS AT ALL LEVELS

THE THERMO TOWER. A NEW GENERATION OF COMPACT FOOD TRANSPORTATION TROLLEYS. POWERFUL IN HANDLING, COMFORT AND SAFETY.

Through innovative features, the mobile front loaders make loading and unloading easier, offer a shortened preparation time and greater product performance. The sophisticated stainless steel construction offers excellent hygiene standards and supports compliance with applicable HACCP guidelines.

Depending on the area of application, choose upon four product variants: storage, keeping warm, keeping cool or a combined variant keeping warm and cold. Make sure you get the best functionality, a stylish design and thought-out details.



BEST QUALITY ALSO IN SUPPORT AND SERVICE.

YOU CAN RELY ON COMPETENT SUPPORT: BEFORE, DURING AND AFTER THE PURCHASE.



CONSULTING



DELIVERY



SERVICE

TOP FEATURES

FOR BEST QUALITY AND HIGHEST FUNCTIONALITY

**THESE STRONG
DETAILS ARE A
STANDARD IN EVERY
THERMO TOWER.**



SAFE AND SPACE SAVING

270°swiveling door with magnet for fixing. Comfortable loading and unloading. No additional space required.



CLEANED UP

Power cable perfectly placed on the back of the device. No risk of stumbling*.



OPTIMAL CLEANING

Slightly inclined inner floor for the drainage of dirty or condensed water. Removable joint sealing.



SAFE STORAGE

Additional GN boxes or trays can be stowed and transported in a non-slip manner thanks to surrounding railing. Comfortable guiding of the trolley from all sides.



IMPACT PROTECTION

All around damping bumpers made of high quality polyamide. Protection of trolley and surroundings.



MOBILITY AND HOLD

Two steering castors with brakes at the front, two swivel castors convertible to fixed ones at the rear. Easily movable on different floors.



SAFE CLOSURE

Quick-locking device: opening and closing with one hand. Additional security sealing possible. For added security during transport.

* not included in the device version „neutral“

THERMO TOWER HOT

CLEAR RECOMMENDATION WHEN KEEPING YOUR FOOD WARM.

The new circulating air heater guarantees temperature distribution and stable temperature preservation even during longer transport and downtimes. A safe and hygienic solution.



FAST AND UNIFORM

Circulating air heating for quick and optimal heat distribution. Heating up with an empty compartment in just 10 minutes.



LET OFF STEAM

Breather flap for continuous vapor purge to maintain the quality of your dishes. Variably adjustable.



BE INFORMED AT ANY TIME

Digital and analogue thermometer to check the internal temperature. Analogue display without power supply.



QUICK SET

Touch display for even easier temperature input.



THERMO TOWER HOT

- + heat capacity: +30 °C up to +90 °C
- + connection: 220-240V 50/60Hz
- + stainless steel 18/10
- + can be used for various GN containers and trays

ITEM NO.	VERSION	OUTER DIMENSIONS	CAPACITY	WEIGHT	INSERTS	DIVISION
8300053934	TT 144/14 H	53,5 x 79,5 x 129,5 cm	144 L	66 kg	14 inserts, each with 5,5 cm distance	3 x GN 1/1, 20 cm + 2 x GN 1/1, 4 cm
8300053937	TT 200/20 H	53,5 x 79,7 x 162,3 cm	200 L	80 kg	20 inserts, each with 5,5 cm distance	5 x GN 1/1, 20 cm

THERMO TOWER COLD

AND UNIFORM CIRCULATING AIR COOLING FOR QUICK AND UNIFORM REFRIGERATION.

The new circulating air cooling guarantees temperature distribution and stable temperature preservation even during longer transport and downtimes. A safe and hygienic solution.



WELL PLACED

Integrated door front for better hygiene. Better protected against dirt.


THERMO TOWER COLD

- + cooling capacity: +2 °C bis +10 °C
- + connection: 220-240V 50/60Hz
- + stainless steel 18/10
- + can be used for various GN containers and trays



FAST AND UNIFORM

Circulating air cooling for quick and uniform refrigeration. Cooling output: +2 °C up to +10 °C



CLEAN SOLUTION

Drainage: Condensed water is discharged back to the evaporator. Usage space and floor remain dry.



BE INFORMED AT ANY TIME

Digital and analogue thermometer to check the internal temperature. Analogue display without power supply.



QUICK SET

Touch display for even easier temperature input.

ITEM NO.	VERSION	OUTER DIMENSIONS	CAPACITY	WEIGHT	INSERTS	DIVISION
8300053933	TT 144/14 C	53,5 x 79,5 x 146,5 cm	144 L	88,5 kg	14 inserts, each with 5,5 cm distance	3 x GN 1/1, 20 cm + 2 x GN 1/1, 4 cm
8300053936	TT 200/20 C	53,5 x 79,7 x 178,3 cm	200 L	135 kg	20 inserts, each with 5,5 cm distance	5 x GN 1/1, 20 cm

THERMO TOWER KOMBI HOT/COLD

THE DOUBLE SOLUTION WHEN KEEPING WARM AND COOL SIMULTANEOUSLY.

The new circulating air heating as well as cooling guarantee temperature distribution and stable temperature preservation even during longer transport and downtimes.



FAST AND UNIFORM

Circulating air heating for quick and optimal heat distribution. Heating up with an empty compartment in just 10 minutes.

Circulating air cooling for quick and uniform refrigeration.

TWO IN ONE

Two completely separate compartments for simultaneous transport of hot and fresh food. Keep warm and cool in one device.



QUICK SET

Touch display for even easier temperature input.



LET OFF STEAM

Breather flap for continuous vapor purge to maintain the quality of your dishes. Variably adjustable.



THERMO TOWER KOMBI HOT/COLD

- + heat capacity: +30 °C up to +90 °C
- + cooling capacity: +2 °C up to +10 °C
- + connection: 220-240V 50/60Hz
- + stainless steel 18/10
- + can be used for various GN containers and trays



CLEAN SOLUTION

Drainage: Condensed water is discharged back to the evaporator. Usage space and floor remain dry.



BE INFORMED AT ANY TIME

Digital and analogue thermometer to check the internal temperature. Analogue display without power supply.



ITEM NO.	VERSION	OUTER DIMENSIONS	CAPACITY	WEIGHT	INSERTS	DIVISION
8300053926	TT 95+55/9+5 HC	59,0 x 79,5 x 156,0 cm	95 + 55 L	106 kg	9 + 5 inserts, each with 5,5 cm distance	2 x GN 1/1, 20 cm + 1 x GN 1/1, 4 cm; 1 x GN 1/1, 20 cm + 1 x GN 1/1, 4 cm
8300062258	TT 95+95/9+9 HC	59,0 x 79,5 x 181,0 cm	95 + 95 L	112 kg	9 + 9 inserts, each with 5,5 cm distance	3 x GN 1/1, 10 cm + 1 x GN 1/1, 20 cm; 3 x GN 1/1, 10 cm + 1 x GN 1/1, 20 cm



THERMO TOWER NEUTRAL

A GOOD CHOICE IF THE FOOD DOES NOT NEED TO BE KEPT WARM OR CHILLED.

- + without cooling or heating function
- + included: sophisticated details for the highest standards of functionality, comfort and safety
- + stainless steel 18/10
- + can be used for various GN containers and trays

ITEM NO.	VERSION	OUTER DIMENSIONS	CAPACITY	WEIGHT	INSERTS	DIVISION
8300053935	TT 144/14 N	53,5 x 79,7 x 129,3 cm	144 L	65 kg	14 inserts, each with 5,5 cm distance	3 x GN 1/1, 20 cm + 2 x GN 1/1, 4 cm
8300053938	TT 200/20 N	53,5 x 79,7 x 162,3 cm	200 L	75 kg	20 inserts, each with 5,5 cm distance	5 x GN 1/1, 20 cm

**YOU STILL HAVE QUESTIONS?
WE WOULD BE DELIGHTED TO HELP!**

THERMOHAUSER GMBH
BLEICHEREISTRASSE 28
73066 UHINGEN
GERMANY

PHONE: +49 7161 93 84 - 0
EMAIL: INFO@THERMOHAUSER.DE
WWW.THERMOHAUSER.DE