

# KIOSK SYSTEM TOUCH SCREEN COMBO KIOSK SERIES

**axon**  
MICRELEC  
leading retail innovation



THE NEW  
SELF-SERVICE  
MANAGEMENT SYSTEM

# KIOSK SYSTEM TOUCH SCREEN

## COMBO KIOSK SERIES

### THE MODULAR, VERSATILE, AND COST-EFFECTIVE SYSTEM

The Combo Kiosk touch screen is the new modular and versatile system that meets the emerging needs of the gastronomy, retail and large-scale distribution sectors. It combines convenience and ergonomics in a compact and customizable design. Dedicated accessories allow for countless configurations. The new Combo Kiosk can integrate two types of displays, a fiscal printer or alternatively a thermal printer, as well as various models of payment terminals and the barcode scanner module. It is available as both desk and stand-alone versions, thanks to the practical floor stand.

### 16:9 FULL HD DISPLAY, DESIGNED FOR CONTINUOUS AND INTENSIVE USE

The different formats of the touch screen monitor, 15.6" or 21.5", both 16:9 in Full HD, ensure comfortable use and maximum visibility. Designed to adapt to any situation, they are built to withstand intensive use in any environment. Equipped with Cortex Hexa Core or 11th generation Intel® processors, they guarantee maximum operational efficiency and low energy consumption, offering an optimal solution for extended use.

#### PROCESSOR



Intel®  
Celeron® J6412



Intel®  
Core® i5



Cortex  
A53/A72

#### SUPPORTED OS



- Win 10 IoT Enterprise
- Win 10/11 Pro



Android 10



Dark  
Gray

#### IDEAL FOR



Horeca



Retail and Large-Scale  
Distribution



Retail



Entertainment



Service

Desktop version with  
display 15,6" FHD



Desktop version with  
display 21,5" FHD



Floor version with  
display 15,6" o 21,5" FHD

① PINPAD FOR  
PAYMENTS

Creates a self-payment  
or self-checkout system  
and promotes the  
reduction of queues.

①

②

② SCANNER  
BARCODE

It enables the  
acquisition of product  
information, the  
management of loyalty  
cards and coupons and  
facilitates document  
reading within office  
settings.

③ THERMAL  
RECEIPT PRINTER

Allows for the storage of  
information on products,  
online orders, pre-order  
receipts, reminders for  
exams, and appointments.

④ TELEMATIC  
RECORDER

State-of-the-art  
telematic printer,  
approved for the latest  
fiscal regulations,  
featuring a compact  
and robust design.



FAST FOOD, PIZZERIAS,  
BAKERIES, ICE CREAM  
SHOPS

Digital menù

Self-ordering / check-in /  
check-out

Customer database  
collection, subscription and  
loyalty card management

Customer service and Info-  
point



RETAIL E GDO

Digital signage and Info point

Self check-out e Price-  
checker

Queue management

Sales Assistant



MUSEUMS, THEATERS,  
EVENTS, WAITING  
ROOMS AND OFFICES

Queue management

Self check-in / check-out

Reservations

Access control

## SYSTEM

- Processor [J6412](#) / Intel® Celeron® J6412 (2.6 GHz)  
[i5](#) / Intel® Core® i5-10354G4 (3.70) GHz  
[RK3399](#) / RK3399 Hexa Core Cortex A53/A72
- Chipset [J6412](#) / Intel® Elkhart Lake  
[i5](#) / Intel® Ice Lake
- Storage [J6412](#) / [i5](#) / M.2 SATA 128 GB  
[RK3399](#) / eMMC 32 GB
- Memory [J6412](#) / 4 GB Standard, DDR4 (esp. a 8 / 16 / 32 GB)  
[i5](#) / 8 GB Standard, DDR4 (esp. a 16 / 32 GB)  
[RK3399](#) / 4 GB Standard
- WiFi e Bluetooth [RK3399](#) / 802.11 b/g/n
- Speaker Integrated

## MONITOR

- Pannel TFT LCD, PCAP Multi Touch
- Dimensions 15,6" / 21,5"
- Resolution 1920 x 1080 FHD

## EXTERNAL I/O PORTS

- USB [J6412](#) / 4x USB 3.0; 4x USB 2.0 (15,6");  
4x USB 3.0; 2x USB2.0 (21,5")  
[i5](#) / 2x USB 3.0; 4x USB2.0  
[RK3399](#) / 6x (4x USB 2.0; 2x USB 3.0)
- COM [J6412](#) / [RK3399](#) / 3x COM DB9  
[i5](#) / 1x COM DB9
- LAN [J6412](#) / 1x RJ-45 (15,6"); 2x RJ-45 (21,5");  
[i5](#) / [RK3399](#) / 1x RJ-45
- Audio [i5](#) / Mic IN; 1x Line OUT

## SUPPORTED OPERATING SYSTEM

- OS supported [J6412](#) / [i5](#) / Windows 10 / 11 Pro; Windows 10 IoT Enterprise  
[RK3399](#) / Android 10

## POWER SUPPLY

- External Power Supply 12 V, 5 A

## STAND

- Model [Desk version](#) / Painted metal with galvanized steel support base and anchoring holes  
[Floor version](#) / Painted metal with galvanized steel support base and anchoring holes

## PHYSICAL CHARACTERISTICS

- Certification CE
- Color Dark Gray
- Dimensions (L x H x P) [15,6"](#) / Desktop version 39 x 66 x 27 cm  
[15,6"](#) / Floor version 39 x 150 x 27 cm  
[21,5"](#) / Desktop version 43 x 73 x 27 cm  
[21,5"](#) / Floor version 43 x 157 x 27 cm

## OPTIONS AND ACCESSORIES

- Thermal printer 80 mm x 80 mt, 250 mm/s, automatic cutter
- Telematic printert RT approved, 80 mm x 80 m, 250 mm/s, automatic cutter and anti-jam system
- Scanner Barcode 1D, 2D Barcode Support to side installation
- Kit POS bancario Support to side installation
- WiFi and Bluetooth [J6412](#) / [i5](#) / iModul Wireless LAN internal on slot M.2

The trademarks and registered trademarks belong to APesce s.p.a. or their respective owners. Images and product information are non-binding and may be subject to change without notice.

## HEADQUARTERS

APesce s.p.a. - Italy / Via P. Mattarella, 32 / 30030 Gardigiano di Scorzè (VE) / [T](#) +39 041 583 05 94 / [F](#) +39 041 583 05 95  
[M](#) info@apesce.com / [W](#) www.apesce.com / [P.IVA](#) 02709990275 / Cap. Soc. 1.000.000€ i.v. / Reg. imp. di Venezia REA: 236495

## BRANCH OFFICES MADRID

Alonso Cano, 49 / Planta 2 Oficina 2 / 28003 Madrid / [T](#) +34 912 248 900 / [T](#) +34 627 846 004 / [M](#) joan.gimenez@posbank.eu

## BRANCH OFFICES DUSSELDORF

Theodorstraße 105 / 40472 Düsseldorf / [T](#) +49 (0) 211 54059 5070 / [T](#) +49 (0) 177 707 7427 / [M](#) deserta.selmani@posbank.eu