

THRILL VORTEX ROCK



THRILL VORTEX **ROCK**
WOOD

THRILL VORTEX ROCK WOOD


Black



Walnut

Perfect for your home





3 ABS door hinges



2 ABS locking fasteners



On/off switch



Extremely Stable and Secure
Two double rear locking wheels
Two double front pivoting wheels
Designed for smooth surface



Steel reinforcement plate



3 retractable
handles in ABS

Attention to detail

"Please note that as the wood is made of 15/10mm solid walnut, small surface defects may occur due to the grain of the wood (more visible in the Black Walnut version)"





THRILL VORTEX ROCK WOOD



Easy access for CO²
Cylinder replacement




Safety straps hold the
recommended 10lb cylinder
securely in place



ATTENTION !!
MAXIMUM CO² CYLINDER HEIGHT 26.23
inches SUPPORTING A RECOMMENDED
TANK CAPACITY OF 10 lbs.

Technical features



SUPPORTS A 10 lbs CO² CYLINDERS WITH A MAXIMUM HEIGHT OF 26.23 inches.

WEIGHT Thrill ROCK Wood:

38,60 lbs / 17,50 kg

MAXIMUM HEIGHT of the CYLINDER COMPARTMENT:

2,23 feet / 68 cm.

REFRIGERANT GAS:

CO² (E290)

POWER SUPPLY:

12 V rechargeable battery - 100/240v AC Plug

MAINS VOLTAGE:

100-240 V ~ AC


ELECTRICAL FREQUENCY:

50/60 Hz

MAXIMUM POWER:

50W

CO² cylinder with SIPHON TUBE required.
Unit will not operate properly without the correct cylinder.





THRILL VORTEX **ROCK**
INOX BLACK

THRILL VORTEX ROCK INOX BLACK



Built for business







THRILL VORTEX ROCK INOX BLACK




Easy access for CO2 Cylinder replacement.
Safety straps hold the recommended 20lb
cylinder securely in place



ATTENTION !!
MAXIMUM CO² CYLINDER HEIGHT 27,5
inches SUPPORTING A RECOMMENDED
TANK CAPACITY OF 20 lbs.

Technical features



SUPPORTS A 20 lbs CO² CYLINDERS WITH A MAXIMUM HEIGHT OF 27,5 inches.

WEIGHT Thrill ROCK Wood:

50,70 lbs / 23 kg

MAXIMUM HEIGHT of the CYLINDER COMPARTMENT:

2,30 feet / 70 cm.

REFRIGERANT GAS:

CO² (E290)

POWER SUPPLY:

12 V rechargeable battery - 100/240v AC Plug

MAINS VOLTAGE:

100-240 V ~ AC


ELECTRICAL FREQUENCY:

50/60 Hz

MAXIMUM POWER:

50W

CO² cylinder with SIPHON TUBE required.
Unit will not operate properly without the correct cylinder.





ANOTHER QUALITY PRODUCT
DESIGNED, ENGINEERED & BUILT IN ITALY BY:

THRILL®
INTERNATIONAL

MADE IN ITALY

